

NO. 62684

**APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office DEC 20 1996

Returned to applicant for correction _____

Corrected application filed _____

Map filed DEC 20 1996 UNDER 62682

The applicant UNITED STATES DEPARTMENT OF ENERGY, NEVADA OPERATIONS OFFICE, hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is UNDERGROUND AREA THREE WELL.
2. The amount of water applied for is 1 CFS second-feet
 - (a) If stored in reservoir give number of acre-feet
3. The water to be used for QUASI-MUNICIPAL
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated
 - (b) Stockwater, state number and kinds of animals to be watered
 - (c) Other use (describe fully under No. 12. "Remarks")
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point IN THE NE $\frac{1}{4}$ OF THE NE $\frac{1}{4}$ OF SECTION 7, T 2 S., R 47 E., MDM AT A POINT FROM WHICH THE SOUTHEAST CORNER OF SECTION 33, T 1 N, R 47 E MDM BEARS N 17° 18' 11" E A DISTANCE OF 39,071.27 FEET.
6. Place of Use SECTION 6, T 2 S, R 47 E, MDM
7. Use will begin about JANUARY 1ST and end about DECEMBER 31ST, of each year.
8. Description of proposed works 18" Cased Well with Electric Submersible Pump and Elevated Storage Tank.
9. Estimated cost of works \$60,000.00
10. Estimated time required to construct works COMPLETED
11. Estimated time required to complete the application of water to beneficial use ONE YEAR
12. Remarks: AN ESTIMATED CONSUMPTIVE USE OF 235,905,048 GALLONS ANNUALLY FOR QUASI-MUNICIPAL PURPOSES.

By s/Kenneth L. Haskew
P.O. BOX 56
GOLDFIELD, NV 89013

Compared my/bk

Protested _____

WITHDRAWN BY APPLICANT

APR 21 1997

STATE ENGINEER

62684

_____ OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: